

Site: Inflexion  
 Address: 320 Needham St., Newton MA 02464

## Narrative Report - ASI-MV Addiction Severity Index - Multimedia Version

### Summary of Results for:

Client Name: <b>John Doe</b>	Client ID: <b>987654MM</b>
Client Address: <b>123 Main St. Newton, MA 02464</b>	Administration Date: <b>3/19/2009</b>
Client DOB: <b>5/2/1971</b>	Admission Date: <b>3/19/2009</b>
Gender: <b>Male</b>	Program #: <b>M-2</b>
Social Security #: <b>123-45-6789</b>	Class: <b>Initial</b>
Interview: <b>ASIEnglish</b>	Interviewer Code: <b>N/A</b>
	Payer/Insurer: <b>Commercial Payer</b>
	Service: <b>Outpatient/non-Methadone</b>

### Scoring / Rating Summary

Problem Areas	Severity Ratings <sup>1</sup>	Composite Scores <sup>2</sup>	Perception <sup>3</sup>	Motivation <sup>4</sup>
<b>Medical</b>	1	0	0	0
<b>Employment</b>	5	0.103	3	2
<b>Alcohol</b>	6	0.57	3	3
<b>Drug</b>	5	0.114	1	2
<b>Legal</b>	4	0.4	3	1
<b>Family/Social</b>	4	0.263	2/ 1	1/ 0
<b>Psychiatric</b>	4	0.409	3	1
<b>Range</b>	0-9	.00-1.00	0-4	0-4
<small><sup>1,2,3,4</sup> see ASI-MV Graphic Profiles pages at end of report for further information</small>				

**Clinician Note:** Any Domain without a score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the "Question/Answer Report").

Low scores do not necessarily indicate the absence of a problem, because the client's self-perception of problem severity and motivation to receive help are factored into these scoring formulas. See the content of the narrative report for more detail on the client's self-reported data.

### Identifying Data

Mr. Doe is a 37 year old married, White (not Hispanic), male, who reported his religious preference is Protestant. He has lived at the above address for 5 year(s), 0 month(s) and in the last 30 days he has not been in a controlled environment.

### Medical Status

**Medical Severity Rating: 1 – (No real problem)**

The following were answers to specific questions that, if answered “Yes”, may require follow-up:

Has chronic medical problems:	Yes
Regularly taking, or should be taking prescribed medication:	Yes

He reported being hospitalized for medical problems about 5 time(s) in his life. The last hospitalization for medical problems was about 0 year(s), 0 month(s) ago. He has visited a hospital emergency room 1 time(s) in the last 30 days. He reported having 0 day(s) of medical problems in the last 30 days and that he has an ongoing physical or medical problem that interferes with daily activities and does not receive money for a physical disability. He did report having the following other medical problems: Asthma or other breathing problems, High blood pressure, Diabetes. He is receiving help for his problem(s) from a medical professional. In addition he reported having no problems with pain.

Mr. Doe reported to be not at all troubled or bothered by medical problems in the last 30 days and that receiving medical treatment is not at all important at this time.

**Clinician Impressions/Information** (e.g. more specifics on any medical problems, medications, hospitalizations and current medical care; is there chronic pain – if yes, explain; does the client get enough to eat on a regular basis – if no, explain):

## Employment Status

<b>Employment Severity Rating: 5 – (Moderate problem)</b>
---

Mr. Doe reports his highest level of education was graduated HS or GED, and that he had 4 year(s) and 0 month(s) of additional formal or technical training. He does have a profession, trade or skill. His longest full-time job was 5 years, 0 months, and his usual employment pattern over the last 3 years has been full time. The best description of his occupation over the past three years is other professional. In the past 30 days, he has spent 22 day(s) having problems that affected work and/or seriously looking for work. He reports having a valid driver's license and having access to a car. He does have other forms of transportation available. He reports that 2 people depend on him for the majority of their food, shelter or financial support. He does not regularly receive financial support from family, friends or significant others.

He reported working 20 of the past 30 days and receiving about \$4000.00 in take home pay. Also, in the past 30 days he reported receiving nothing from Unemployment Compensation, nothing from Public Assistance, Welfare or Food Stamps, nothing from any Pension, Disability, Worker's Compensation, Social Security or Veteran's Benefit, and nothing from family, friends, significant others, and other sources. He also reported receiving nothing from illegal sources.

Mr. Doe reported being considerably troubled or bothered by employment problems during the past 30 days and that receiving help or counseling for employment problems is moderately important at this time.

***Clinician Impressions/Information** (e.g. more specifics on employment situation, barriers to employment, problems that interfere with work and current attitude about work):*

## Alcohol / Drug Status

**Alcohol Severity Rating: 6 – (Considerable problem)**

**Drug Severity Rating: 5 – (Moderate problem)**

Within the indicated time period, Mr. Doe reported using:

Substance	Past 30 Days		Lifetime (3 x/week)		Route
Alcohol – any use:	25	days	20	years	
Alcohol – to intoxication:	5	days	3	years	
Heroin	0	days	0	years	-
Methadone	0	days	0	years	-
Other opiates/analgesics	4	days	1	years	Swallowed
Barbiturates	0	days	0	years	-
Tranquilizers	0	days	0	years	-
Cocaine	0	days	0	years	-
Amphetamines	0	days	1	years	Swallowed
Cannabis	10	days	12	years	Smoked
Hallucinogens	0	days	0	years	-
Inhalants	0	days	0	years	
More than one substance	5	days	0	years	

Mr. Doe reported that in the last 30 days he has used the following prescription opiate pain medication:

Opiates Used	Days Used Total	Days Used Not as Prescribed	Route	Source
OxyContin®	3	2	Swallowed or dissolved in mouth	Family or friend
Darvocet®	1	1	Swallowed or dissolved in mouth	Your own prescriptions (from one doctor)

Considering all substances used, Mr. Doe reports that opiate medication is not a problem for him.

Mr. Doe reports to be clean and sober for less than a month. In the past he has experienced DT's 0 time(s). He also states that he has overdosed 0 time(s). He reports that Alcohol is his major problem and that he has had at least one experience of being able to maintain a voluntary abstinence from all major substances for at least one month. The most recent period lasted 0 year(s) and 3 month(s). He also reports spending \$75.00 on alcohol and spending \$25.00 on drugs in the last thirty days.

Mr. Doe reported that in the last 30 days spending 0 day(s) attending any outpatient treatment or counseling, and 3 day(s) attending AA/NA meetings. He also reports entering treatment for alcohol 1 time(s) in his life, 0 time(s) for drugs, and 0 time(s) for both alcohol and drugs. Of these, 0 time(s) were alcohol detox, 0 time(s) were drug detox, and 0 time(s) were both alcohol and drug detox. He reported it is not at all important for him to change his living situation to stay clean and sober and that he is not at all interested in talking with someone about his housing situation.

Mr. Doe reported that in the last 30 days he had 10 day(s) of problems related to drinking and to being considerably troubled or bothered by alcohol problems. He indicated that receiving treatment or counseling for alcohol problems is considerably important at this time.

Mr. Doe also reported that in the last 30 days he had 3 day(s) of problems related to using drugs and to being slightly troubled or bothered by drug problems. He indicated that receiving treatment or counseling for drug problems is moderately important at this time.

***Clinician Impressions/Information** (e.g. more specifics on current alcohol/drug use amounts and patterns, problems with past sobriety attempts, problems with past treatment episodes and attitude about wanting help at this time.):*

## Legal Status

<b>Legal Severity Rating: 4 – (Moderate problem)</b>
--

The following are answers to specific questions that may require follow-up:

Were you pressured to enter this current treatment by the legal system?	Yes
Are you currently on probation or parole?	Yes
In the past 30 days, how many days were you in prison or jail?	1
In the past 30 days, how many days did you do anything illegal for profit?	None

**Legal Arrests and Charges:** Mr. Doe reports, in his lifetime, having been arrested and charged with the following:

Shoplifting or vandalism - 1 time(s)

Assault - 3 time(s)

Contempt of court - 1 time(s)

Of the above charges, 2 resulted in conviction(s).

Mr. Doe also reports that, in his lifetime, he has been arrested/charged with disorderly conduct, vagrancy, or public drunkenness 0 time(s), driving while intoxicated (DWI) 1 time(s), other driving violations 5 time(s), and other offenses 0 time(s).

Since the age of 18, he has spent less than 2 weeks in jail or prison. Mr. Doe is currently awaiting charges, trial or sentencing for the following: driving while intoxicated

Mr. Doe reports feeling any legal problems are considerably serious and that receiving counseling or referral for legal problems is slightly important at this time. Additionally, he feels any family-related legal problems are not at all serious and that receiving counseling or referral for family legal problems is not at all important at this time.

**Clinician Impressions/Information** (e.g. more specifics on any legal problems, terms of any probation or parole and substance abuse role in legal problems.):

## Family/Social Status

<b>Family / Social Severity Rating: 4 – (Moderate problem)</b>
--

Mr. Doe reports that his current marital status is married, that he has been in that status for 11 year(s), 0 month(s) and that he is satisfied with this status. He has 1 child(ren) under the age of 18 and, in the past 30 days, at least one of them lived with him.

He currently lives in a private home or apartment. For 7 year(s), 0 month(s) of the past three years his usual living arrangement has been with significant other or spouse and children. He reports being neither satisfied nor dissatisfied with this arrangement.

He reported the following answers to specific questions that may require clinician follow-up:

Usually lives with anyone who abuses alcohol:	No
Usually lives with anyone who abuses drugs:	No
Has ever been emotionally abused:	Yes
Has been emotionally abused in past 30 days:	No
Has ever been physically abused:	No
Has been physically abused in past 30 days:	No
Has ever been sexually abused:	Not Sure
Has been sexually abused in past 30 days:	No

Mr. Doe reports spending most of his time with live-in significant other and being neither satisfied nor dissatisfied about this. He reports having 2 close friend(s) and has a close, long-lasting, personal relationship with at least one of them.

**Mother** – Mr. Doe reports not having had a close, long-lasting, personal relationship with his mother. In his lifetime, there were periods when he had serious problems getting along with his mother. In the past 30 days, he has had serious problems getting along with his mother.

**Father** – He also reports never knowing his father.

**Sibling(s)** – Mr. Doe reports having had a close, long-lasting, personal relationship with his sibling(s). In his lifetime, there were periods when he had serious problems getting along with his sibling(s). In the past 30 days, he has not had serious problems getting along with his sibling(s).

**Spouse or Significant Other** – He reports having had a close, long-lasting, personal relationship with his spouse or significant other. In his lifetime, there were periods when he had serious problems getting along with his spouse or significant other. In the past 30 days, he has had serious problems getting along with his spouse or significant other.

**Children** – He reports having had a close, long-lasting, personal relationship with his child(ren). In his lifetime, there were no periods when he had serious problems getting along with his

child(ren). In the past 30 days, he has not had serious problems getting along with his child(ren). He reports that his child(ren) have never been taken away from him due to a child protective order or other legal proceeding.

**Other Significant Family Members** – Mr. Doe, in his lifetime, reports there were periods when he had serious problems getting along with other significant family members. In the past 30 days, he has had serious problems getting along with other significant family members.

**Close Friends** – He reports having 2 close friend(s), and has had a close, long-lasting, personal relationship with at least one of his close friend(s). He reports in his lifetime, there were periods when he had serious problems getting along with any close friend(s). In the past 30 days, he has not had serious problems getting along with his close friend(s).

**Neighbors** – Mr. Doe, in his lifetime, reports there were no periods when he had serious problems getting along with neighbors. In the past 30 days, he has not had serious problems getting along with any neighbors.

**Co-Workers** – The client reports in his lifetime, there were periods when he had serious problems getting along with any co-workers. In the past 30 days, he has had serious problems getting along with any co-workers.

Mr. Doe reports that in the past 30 days he has had 2 day(s) of very serious conflicts or arguments with any family member or relative, and that he is moderately troubled or bothered about family problems. He reported that receiving treatment or counseling for family problems is slightly important at this time.

Mr. Doe reports that in the past 30 days he has had 1 day(s) of very serious conflicts or arguments with any people outside the family, and that he is slightly troubled or bothered by problems with people other than family. He reported that receiving treatment or counseling for social problems is not at all important at this time. Note that social problems include loneliness, inability to socialize, and dissatisfaction or conflict with people other than family.

**Clinician Impressions/Information** (e.g. more specifics on any family/friend problems, number and ages of children, specifics about any abuse and current supportive network):



**Psychiatric Status**

***Psychiatric Severity Rating: 4 – (Moderate problem)***

Mr. Doe has not been prescribed medication for psychological or emotional problems within the past 30 days, and in his lifetime has been prescribed medication. He reported having received a diagnosis for an emotional or psychological problem and is currently not receiving any professional help for psychological or emotional problems.

He reported having received a diagnosis of: Depression or mood disorder; Anxiety or nervous disorder;

He reported feeling seriously depressed in the past 30 days. He reported not feeling serious anxiety in the past 30 days. He reported having trouble understanding, concentrating or remembering within the past 30 days.

Additionally, he reported: having serious depression, having serious anxiety, and having trouble understanding, concentrating or remembering at other periods in his life.

He reported never being hospitalized or in an inpatient setting for psychological or emotional problems. He does not currently receive a pension for a psychiatric disability.

Mr. Doe reported that **today** he has been feeling:

Down, blue and depressed	Moderately
Helpless and hopeless	Slightly
Angry	Slightly
Irritable.	Slightly
Hostile	Not at all
Tense	Considerably
Very worried	Moderately

Mr. Doe reports that in the last 30 days, he has experienced the psychological or emotional problems referenced earlier, for 15 day(s). He reported being considerably troubled or concerned about psychiatric problems and that receiving treatment or counseling for psychiatric problems is slightly important at this time.

## Psychiatric Risk Questions

Listed below are twelve questions of the Psychiatric Status section along with Mr. Doe's answers to them. This gives the clinician important information, which may require immediate face-to-face intervention or follow-up if answered Yes.

• In the past 30 days, have you had times when you heard voices or saw things that other people couldn't see and hear?	No
• Other times in your life?	No
• In the past 30 days, have you had times when you had trouble controlling your temper or violent behavior?	No
• Other times in your life?	No
• In the past 30 days, have you seriously considered a plan for killing yourself?	Yes
• Other times in your life?	Yes
• In the past 30 days, have you attempted suicide or tried to kill yourself?	No
• Other times in your life?	No
• Have you had trouble thinking clearly today?	Slightly
• Have you had trouble concentrating today?	Not at all
• Have you been hearing voices today?	Not at all
• Have you been thinking of hurting yourself today?	Not at all

**Clinician Impressions/Information** (e.g. more specifics on psychological problems that effect functioning, medications, hospitalizations and current psychiatric care; also Mental Status specifics regarding: Mood and Affect / Thought Content / Thought Process / Speech / Memory / Orientation / Intellect / Insight / Judgment / Appearance / Posture / Psychomotor Activity / Current Risk Factors):

## Summary

Mr. Doe is a 37 year old married, White (not Hispanic), male, who reported his religious preference is Protestant. He has lived at the above address for 5 year(s), 0 month(s) and in the last 30 days he has not been in a controlled environment.

In the questions related to mental status, Mr. Doe reported that on the day of the ASI-MV administration he felt down and depressed, felt helpless and hopeless, felt angry, felt irritable, did not feel hostile, felt tense, and felt very worried.

In addition, Mr. Doe reported that on the day of the ASI-MV administration he reported: no trouble with hearing voices, no trouble concentrating, no trouble thinking of hurting himself, and trouble thinking clearly. Also, in the past 30 days, he reported seriously considering a suicide plan, and not having made a suicide attempt. See the itemized **Psychiatric Risk Questions** for more information on risk.

The following is a summary of the three domains of the ASI-MV in which Mr. Doe reported the most severe deficits in functioning:

Mr. Doe had an Alcohol Severity Rating of 6. In the past 30 days he reported using alcohol for 25 day(s), and 5 day(s) to intoxication. He also reported that in the last 30 days, he has spent 3 day(s) attending any outpatient treatment or counseling, including AA/NA meetings. He also indicates that he has entered treatment for alcohol 1 time(s) in his life and for drugs 0 time(s). Of these, 0 time(s) was (were) alcohol detox and (Not Asked) time(s) was (were) drug detox. Mr. Doe reported that in the last 30 days he had 10 day(s) of problems related to drinking and to being considerably troubled or bothered by alcohol problems. He indicated that receiving treatment or counseling for alcohol problems is considerably important at this time.

Mr. Doe had an Employment Severity Rating of 5. In the past 30 days he reported having problems that affected work 10 day(s) during that period. His longest full-time job was 5 year(s), 0 month(s) and his usual employment pattern over the last 3 years has been full-time. The best description of his occupation over the past three years is other professional. Mr. Doe reported being considerably troubled or bothered by employment problems during the past 30 days and that receiving treatment or counseling for employment problems is moderately important at this time.

Mr. Doe had a Drug Severity Rating of 5. In the past 30 days he reported using Marijuana or hashish for 10 day(s). He also reported that in the last 30 days he has spent 3 day(s) attending any outpatient treatment or counseling, including AA/NA meetings. He also indicates that he has entered treatment for alcohol 1 time(s) in his life and for drugs 0 time(s). Of these, 0 times were alcohol detox and (Not Asked) times were drug detox. Mr. Doe reported that in the last 30 days he had 3 day(s) of problems related to using drugs and to being slightly troubled or bothered by drug problems. He indicated that receiving treatment or counseling for drug problems is moderately important at this time.

This Summary of the three ASI-MV domains with the most severe ratings is intended to assist the clinician with treatment planning. The full report contains a more complete presentation of Mr. Doe's responses.

***Clinician Impressions/Information** (e.g. more specifics on any problem area requiring intervention, preliminary treatment recommendations and client's current motivation to seek and use help):*

SAMPLE

If you, the clinician, think the ASI-MV calculated scores are not an accurate representation of the client's problems you can add your scores and reasons here. If there is no difference, select and delete this chart.  
 Note: Any added scores will not change the ASI-MV calculated scores in the database, so the validity and reliability of this tool is not compromised.

Problem Areas	ASI-MV Calculated		Clinician Scores (if different)		
	Severity Ratings*	Composite Scores **	Severity Ratings	Composite Scores	Justification for Difference ***
Medical	1	0			
Employment	5	0.103			
Alcohol	6	0.57			
Drug	5	0.114			
Legal	4	0.4			
Family/Social	4	0.263			
Psychiatric	4	0.409			
* / ** See the Graph Profiles page for explanation			*** Use space below for further explanation		

DSM-IV Diagnoses *	
Axis I:	Code: _____
	Code: _____
	Code: _____
Axis II:	Code: _____
	Code: _____
<i>Diagnoses Description / Comments:</i>	
Axis III:	<i>Medical problems:</i>
Axis IV:	<i>Life stressors:</i> - Primary support group problems - Housing problems - No current stressors - Social / environment problems - Economic problems - Educational problems - Healthcare access problems - Occupational problems - Other psychosocial or environmental problems - Legal problems
<i>Problem Description:</i>	
Axis V:	GAF: _____ Current      GAF: _____ Highest in Past Year
* <u>Note:</u> Information added here does not go into the database (this table can be selected & deleted if desired)	

*This ASI-MV assessment and report is intended to be a significant part of, but not the entire clinical evaluation.*

***Clinician Note:*** *Any Domain without a Severity Rating or Composite Score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the Question and Answer report).*

Clinician Signature (indicates review of this report):

\_\_\_\_\_  
Clinician's signature

Date: \_\_\_\_\_

\_\_\_\_\_  
Clinician's printed name

The following page contains the **ASI-MV Profile**, summarizing the **Severity Ratings, Composite Scores, Perception** and **Motivation** in each of the seven problem areas defined above.

**ASI-MV Graphic Profiles**  
 Graph 1 of 3

**Severity Ratings\*\* ASI-MV**

Problem Areas	Severity Ratings	0	1	2	3	4	5	6	7	8	9	
Medical	1											
Employment	5											
Alcohol	6											
Drug	5											
Legal	4											
Family/Social	4											
Psychiatric	4											
Range	0 - 9	0	1	2	3	4	5	6	7	8	9	

\*\* **Severity Ratings** are calculated from questions, which include “lifetime” data and are used for identifying problem areas and treatment planning. They should not be used to evaluate outcome or progress.

<p><b>Severity Ratings**</b>          Interpretation Guidelines</p> <p>0 – 1 No real problem          2 – 3 Slight problem          4 – 5 Moderate problem          6 – 7 Considerable problem          8 – 9 Extreme problem</p>	<p>Low <b>Severity Ratings</b> or <b>Composite Scores</b> do not necessarily indicate the absence of a problem, because the client’s self-perception of problem severity and motivation to receive help are factored into these scoring formulas. See the content of the narrative report for more detail on the client’s self-reported data.</p>
---	---

**ASI-MV Graphic Profiles**  
 Graph 2 of 3

**Composite Scores\* ASI-MV**

Problem Areas	Composite Scores	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
Medical	0											
Employment	0.103											
Alcohol	0.57											
Drug	0.114											
Legal	0.4											
Family/Social	0.263											
Psychiatric	0.409											
Range	0.00 - 1.00	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	

\* **Composite Scores** are calculated from questions regarding the past 30 days & are used primarily for research & outcome evaluations.

**Clinician Note:** Any Domain without a Severity Rating or Composite Score (or where there is an “X”) is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the “Question & Answer Report”).



**ASI-MV Graphic Profiles**  
 Graph 3 of 3

**Perception<sup>3</sup> & Motivation<sup>4</sup> ASI-MV**

Problem Areas	A = Perception B = Motivation	0	1	2	3	4
Medical	A = 0					
	B = 0					
Employment	A = 3					
	B = 2					
Alcohol	A = 3					
	B = 3					
Drug	A = 1					
	B = 2					
Legal	A = 3					
	B = 1					
Family	A = 2					
	B = 1					
Social	A = 1					
	B = 0					
Psychiatric	A = 3					
	B = 1					
Range	0-4	0	1	2	3	4

0 = Not at all    1 = Slightly    2 = Moderately    3 = Considerably    4 = Extremely

**Clinician Note:** Any Domain without a score (or where there is an “X”) is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the “Question/Answer Report”).

<sup>3</sup> **Perception** is a how troubled or bothered a client is by problems.

<sup>4</sup> **Motivation** is how important it is for the client to receive help for problems now.

### **ASI-MV Report: Consistency of Response Summary**

This section identifies pairs of questions in the ASI-MV in which the client did not answer consistently. Some of the inconsistencies listed may be due to normal human error; however, multiple inconsistencies may suggest a pattern of client misunderstanding or deception and should be followed up by the clinician.

Mr. Doe did not answer 1 question(s) when taking the ASI-MV. Multiple skipped questions can result in the inability to calculate Severity Ratings or Composite Scores, and can compromise ASI-MV results.

Mr. Doe had no inconsistent response(s) in this ASI-MV.

SAMPLE